Serial No.: 10/809,286 Filed: March 25, 2004

Page : 2 of 8

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

<u>Listing of Claims</u>:

1. (Previously Presented) An air return bulkhead, comprising:

a peripheral portion adapted to abut a wall of a trailer;

a panel coupled to and offset from the peripheral portion to define a plenum between the

panel and the wall when the peripheral portion abuts the wall; and

means for releasably securing the peripheral portion in abutment with the wall such that

the bulkhead is secured to the wall in an elevated position above a floor of the trailer and such

that the bulkhead may be manually removed and reinstalled without the use of handheld tools.

2. (Previously presented) The air return bulkhead of claim 1, wherein the securing means

comprises a strap system.

3. (Previously presented) The air return bulkhead of claim 1, wherein the securing means

comprises hook members extending in an angularly upward direction from the wall when the

hook members are coupled to the wall.

4. (Withdrawn) The air return bulkhead of claim 1, wherein the securing means comprises

members projecting from said peripheral portion that are slidably received by a rigid member

coupled to the wall.

5. (Withdrawn) The air return bulkhead of claim 1, wherein the securing means comprises a

magnetic element that attracts at least a part of the peripheral portion toward the wall.

Serial No.: 10/809,286 Filed: March 25, 2004

Page : 3 of 8

6. (Original) The air return bulkhead of claim 1, further comprising support members

coupled to the panel and adapted to maintain the panel a first distance from the wall.

7. (Withdrawn) The air return bulkhead of claim 1, wherein the securing means comprises a

hook-and-loop fastener system.

8. (Original) The air return bulkhead of claim 1, further comprising a filter element coupled

to the panel.

9. (Original) The air return bulkhead of claim 8, wherein the filter element is disposed in

the plenum area and spaced apart from a lower edge of the panel.

10. (Previously presented) The air return bulkhead of claim 9, wherein the securing means is

adapted to permit the filter element to be accessed without the use of handheld tools.

11. (Previously presented) An air return bulkhead, comprising:

a peripheral portion adapted to abut a wall of a trailer;

a panel coupled to and offset from the peripheral portion to define a plenum between the

panel and the wall when the peripheral portion abuts the wall; and

a plurality of mounting members to releasably secure the peripheral portion in abutment

with the wall such that the bulkhead is secured to the wall in an elevated position above floor of

the trailer and such that the bulkhead may be manually removed and reinstalled without the use

of handheld tools.

12. (Previously presented) The air return bulkhead of claim 11, wherein the plurality of

mounting members comprise a strap system.

Serial No.: 10/809,286 Filed: March 25, 2004

Page : 4 of 8

13. (Previously presented) The air return bulkhead of claim 11, wherein the plurality of mounting members comprise hook members extending in an angularly upward direction from the wall when the hook members are coupled to the wall.

- 14. (Withdrawn) The air return bulkhead of claim 11, wherein the plurality of mounting members comprise members projecting from said peripheral portion that are slidably received by a rigid member coupled to the wall.
- 15. (Withdrawn) The air return bulkhead of claim 11, wherein the plurality of mounting members comprise a magnetic element that attracts at least a part of the peripheral portion toward the wall.
- 16. (Original) The air return bulkhead of claim 11, further comprising support members coupled to the panel and adapted to maintain the panel in a position spaced apart from the wall.
- 17. (Withdrawn) The air return bulkhead of claim 11, wherein the plurality of mounting members comprise a hook-and-loop fastener system.
- 18. (Original) The air return bulkhead of claim 11, further comprising a filter element coupled to the panel.
- 19. (Original) The air return bulkhead of claim 18, wherein the filter element is disposed in the plenum area and spaced apart from a lower edge of the panel.
- 20. (Previously presented) The air return bulkhead of claim 19, wherein the plurality of mounting members are adapted to permit the filter element to be accessed without the use of handheld tools

Serial No.: 10/809,286 Filed: March 25, 2004

Page : 5 of 8

21. (Previously presented) The air return bulkhead of claim 1, wherein the panel comprises a

lower panel portion that is wider than an upper panel portion such that the width of the plenum is

greater proximal to the lower panel portion than the width of the plenum proximal to the upper

panel portion.

22. (Previously presented) The air return bulkhead of claim 21, wherein the lower panel

portion has a width substantially similar to the width of the trailer wall and the upper panel

portion has a width substantially less than the width of the trailer wall.

23. (Previously presented) The air return bulkhead of claim 3, wherein the hook members

extend in an angularly upward direction from the trailer wall when the hook members are

coupled to the wall so that the peripheral portion is increasing compelled toward the trailer wall

as hook members engage the panel.

24. (Previously presented) The air return bulkhead of claim 11, wherein the panel comprises

a lower panel portion that is wider than an upper panel portion such that the width of the plenum

is greater proximal to the lower panel portion than the width of the plenum proximal to the upper

panel portion.

25. (Currently amended) The air return bulkhead of claim 24-elaim 25, wherein the lower

panel portion has a width substantially similar to the width of the trailer wall and the upper panel

portion has a width substantially less than the width of the trailer wall.

26. (Previously presented) The air return bulkhead of claim 13, wherein the hook members

extend in an angularly upward direction from the trailer wall when the hook members are

coupled to the wall so that peripheral portion is increasing compelled toward the trailer wall as

hook members engage the panel.